



SDMS DocID

2169556

ORIGINAL



(b) (4)
@ttemi.
com>

04/03/02 08:11 AM

To: Kevin Wood/R3/USEPA/US@EPA, Linda
Baxter/R3/USEPA/US@EPA
cc:
Subject: Safety Light and 69th Street

Hi Kevin and Linda,

Kevin, (b) (4) is finishing the memo on the scoring strategy for Safety Light this morning. I will e-mail to you as soon as I get it. Do you want to have a conference call about it today, or do you want to schedule something for next week? You can let me know.

Also, (b) (4) is going to start the technical review on the 68th Street dump site on Monday. I was able to document separate observed releases for seven sources (Colgate Pay Dump, Original Landfill, Horseshoe Landfill, Island Landfill, BFI Landfill, Industrial Enterprises LF, and Unclaimed LF). For several of these sources I documented Observed Releases by direct observation and chemical analysis. I also documented observed release for the entire site (all 7 sources) by chemical analysis. The package is 217 pages long so I think it will take her probably a week to TR and then I estimate 2 weeks to address her comments, get the package edited and QCC'd, so unless she has major comments, I anticipate delivery of the draft package to you the week of the 29th.

If you have any questions, please call me at (610) 383-1087.

Thanks,

(b) (4)

Tetra Tech EM Inc.